# Author Index of Volume 467


Abu-Orabi, S.T., 189
Adams, C.J., 251
Akobiya, M.M., 161
Ansorge, A., 1
Arthurs, M., 135, 145

Bickerton, J., 135
Bickerton, J.C., 145
Blagborough, T.C., 85
Blaschette, A., 169
Bochkarev, L.N., C3
Boeré, R.T., 127
Borsari, M., 165
Brauer, D.J., 1
Braunstein, P., 251
Bregadze, V.I., 161
Brocard, J., 195
Bruce, M.I., 251
Bürger, H., 1

Cambie, R.C., 237
Carmona, D., 293
Casabó, J., 119
Chaubon-Deredempt, M.A., 37
Chen, J.-D., C6
Chen, W., 75
Cheng, M.-C., C6
Claramunt, R.M., 293
Coco Cea, S., 251
Cornago, P., 293
Couret, C., 37
Cullen, W.R., 251

Daly, L., 145
Das, V.G.K., 47
Davis, R., 85
Djukic, J.-P., 195
Duboudin, J.-G., 181
Duckworth, P.A., 251

Elguero, J., 293
Escolástico, C., 293
Escudie, J., 37
Esteban, M., 293
Esteruelas, M.A., 151

Foces-Foces, C., 293
Forward, J.M., 207
Fukin, G.K., C3

García, G., 119
García, M.P., 151
Gavioli, G., 165
Głowiak, T., 223
Golubinskaya, L.M., 161
Gundersen, S., 161

Haaland, A., 161
Habel, W., 13
Hagen, T., 1
Hahn, F.E., 103
Harnack, B., 13
Hassler, K., 21
Hauck, E., 283
Hogarth, G., 135, 145
Hossain, Md.M., 245
Hrzhanovskaya, Y.N., C3
Humphrey, P.A., 251
Huttner, G., 189

Ivison, P., 85

James, B.D., 51
Jibril, I., 189
Jin, Z., 75
Jones, P.G., 169

Khourzom, R., 195
Klaib, S.A., 189
Klassen, B., 127
Koch, D., 169
Korn, S., 283
Krahl, J., 169
Krause, J.A., 113
Kubal, G., 135
Kühl, O., 251

Lambert, M.-P., 181
Lange, I., 169
Lappert, M.F., C9
Leigh, G.J., C1
Li, S., 95
Li, S.-L., 47
Lin, G., 75
Lin, Y.-C., C6
Llamas-Saiz, A.L., 293
López, E.M., 231
López, G., 119

Magee, R.J., 51
Mak, T.C.W., 47
Makarov, V.M., C3
Mandal, S.K., 113
Martín, A., 79
Martín, M., 151
Mastryukov, V.S., 161
Mathur, P., 245
Mena, M., 79
Miguel, D., 231
Mingos, D.M.P., 207
Miravitlles, C., 119
Molins, E., 119
Moock, K.H., 127
Morton-Blake, D.A., 135, 145
Müller, T.E., 207
Mullica, D.F., 95

Ng, S.W., 47
Nover, C., 13
Nuber, B., 217

Orchin, M., 113
Oro, L.A., 151, 293
O'Sullivan, J., 135

Pályi, G., 165
Patalinghug, W.C., 51
Pawelke, G., 1
Pérez-Martínez, J.A., 231
Perrotey, A., 195
Pétraud, M., 181
Piper, C., 135, 145
Psaro, R., 165

Raithby, P.R., 79
Rakoczy, H., 217
Ralfe, D., 145
Rashid, R.S., 245
Ratier, M., 181
Reiter, B., 21
Riera, V., 231
Rose, E., 195
Rose-Munch, F., 195
Rutledge, P.S., 237

Sánchez, G., 119
Santa María, M.D., 293
Santana, M.D., 119
Sappenfield, E.L., 95
Sartori, P., 13
Schenk, W.A., 57, 67
Schollenberger, M., 217
Serrano, R., 79
Shchegolikhina, O.I., 165
Sheldrick, W.S., 283
Shishkov, I.F., 161
Skelton, B.W., 51, 251
Solano, I., 119
Stone, F.G.A., 95
Struchkov, Y.T., C3
Szymańska-Buzar, T., 223

Tamm, M., 103
Tiekink, E.R.T., 251
Tretner, C., 31

Ugo, R., 165
Uhlig, W., 31

Vidar Volden, H., 161
Voß, E., 57, 67

Wang, Y., C6
Wei, G., 75
Welch, D.R., 237
White, A.H., 51, 251
Williams, D.J., 207
Woodgate, P.D., 237

Xia, J., 75

Yan, Y.-K., 207
Yang, Y.-L., C6
Yanovsky, A.I., C3
Yélamos, C., 79

Zakharov, L.N., C3
Zhang, Y., 75
Zhdanov, A.A., 165
Ziegler, M.L., 217
Zsolnai, L., 189
Zucchi, C., 165

# Subject Index of Volume 467


Allyl
Synthesis of the complexes $[N(PPh_3)_2][M(CO)_2(\eta^3\text{-}C_3H_5)(\eta^6\text{-}7,9\text{-}C_2B_{10}H_{10}Me_2)]$(M = Mo or W): crystal structure of $[N(PPh_3)_2][WBr(CO)_3(\eta^6\text{-}7,9\text{-}C_2B_{10}H_{10}Me_2)]$ (S. Li, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 95

Amide
Dialkylamido derivatives of $[(\eta^5\text{-}C_5Me_5)TiCl_3]$, $[\{(\eta^5\text{-}C_5Me_5)TiCl_2\}_2(\mu\text{-}O)]$ and $[\{(\eta^5\text{-}C_5Me_5)TiCl\}_3(\mu\text{-}O)_3]$: X-ray crystal structure of $[(\eta^5\text{-}C_5Me_5)Ti(NMe_2)_3]$ (A. Martín, M. Mena, C. Yélamos, R. Serrano and P.R. Raithby), 79
Polysulfonylamine. LII. Darstellung neuer Triorganozinn(IV)-disulfonylamide. Festkörperstrukturen von $Ph_3SnN(SO_2Me)_2$, $^cHex_3SnN(SO_2Me)_2$ und $Ph_3SnN(SO_2Me)_2 \cdot Ph_3SnOH \cdot 2MeCN$ (A. Blaschette, I. Lange, J. Krahl, D. Koch and P.G. Jones), 169

Amino acid
Preparation and structural characterization of $\eta^5$-pentamethylcyclopentadienylcobalt(III) complexes of $\alpha$-amino acids with coordinating side chains (W.S. Sheldrick, E. Hauck and S. Korn), 283

Arene
Réactivité d'halogénobenzène tricarbonylchrome vis-à-vis d'anions de sulfones (F. Rose-Munch, R. Khourzom, J.-P. Djukic, A. Perrotey, E. Rose and J. Brocard), 195
Reactivity of $[\{(\eta^6\text{-arene})RuCl(\mu\text{-}Cl)\}_2]$ towards some potentially bidentate ligands. Molecular structure of $[(\eta^6\text{-}p\text{-cymene})RuCl(taz)]PF_6$ ($p$-cymene = $p$-$MeC_6H_4CH\text{-}Me_2$; taz = 2,6-dimethyl-5-oxo-3-thioxo-2,3,4,5-tetrahydro-1,2,4-triazine) (G. García, I. Solano, G. Sánchez, M.D. Santana, G. López, J. Casabó, E. Molins and C. Miravitlles), 119

Arsole
Reaktive Arsen-Heterocyclen. IV. Übergangsmetallkomplexe von 2,3,4,5-Tetramethylarsolen (W.A. Schenk and E. Voß), 67

Arsolene
Reaktive Arsen-Heterocyclen. III. 3-Arsolene: Synthese und Reaktionen am Arsen (W.A. Schenk and E. Voß), 57

$\pi$-Bonding
Substituted cyclopentadienyl compounds. III. NMR and molecular orbital study of conformational preferences in some substituted ($\eta^5$-cyclopentadienyl)-rhodium($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-methanoylcyclopentadienyl)-($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (M. Arthurs, J. Bickerton, G. Kubal, J. O'Sullivan, C. Piper, G. Hogarth and D.A. Morton-Blake), 135

Boron
BN cleavage of the azoniaboratacyclopropane ring by $H_2O$ and by carbonyl and nitrile derivatives: crystal structure of $(CF_3)_2\text{-}\overline{B(OH)CH(SiMe_3)NHMe_2}$, $(CF_3)_2\overline{BCH(SiMe_3)NMe_2C\text{-}Me_2O}$ and $(MeC(O)NH)(CF_3)_2BCH(SiMe_3)NHMe_2$ (A. Ansorge, D.J. Brauer, H. Bürger, T. Hagen and G. Pawelke), 1

Bridging ligand
Homonuclear dirhenium complex bridged by $CO_2$: molecular structure of a rhenium dimer bridged by $CO_2$ and a rhenium chloride complex (Y.-L. Yang, J.-D. Chen, Y.-C. Lin, M.-C. Cheng and Y. Wang), C6

Cage compound
Synthesis of the complexes $[N(PPh_3)_2][M(CO)_2(\eta^3\text{-}C_3H_5)(\eta^6\text{-}7,9\text{-}C_2B_{10}H_{10}Me_2)]$(M = Mo or W): crystal structure of $[N(PPh_3)_2][WBr(CO)_3(\eta^6\text{-}7,9\text{-}C_2B_{10}H_{10}Me_2)]$ (S. Li, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 95

Carbanion
Réactivité d'halogénobenzène tricarbonylchrome vis-à-vis d'anions de sulfones (F. Rose-Munch, R. Khourzom, J.-P. Djukic, A. Perrotey, E. Rose and J. Brocard), 195

Carbon dioxide
Homonuclear dirhenium complex bridged by $CO_2$: molecular structure of a rhenium dimer bridged by $CO_2$ and a rhenium chloride complex (Y.-L. Yang, J.-D. Chen, Y.-C. Lin, M.-C. Cheng and Y. Wang), C6

Carbonyl
Cluster chemistry. XC. Some complexes obtained from reactions between $M_3(CO)_{12}$ (M = Ru or Os) or $Ru_3(\mu\text{-dppm})(CO)_{10}$ and 2-substituted triphenylphosphines and related keto-phosphine ligands (C.J. Adams, M.I. Bruce, P.A. Duckworth, P.A. Humphrey, O. Kühl, E.R.T. Tiekink, W.R. Cullen, P. Braunstein, S. Coco Cea, B.W. Skelton and A.H. White), 251
Crystal and molecular structure of the tris(diphenylacetylene)-molybdenum(0) monocarbonyl $Mo(CO)(PhC{\equiv}CPh)_3$ (T. Szymańska-Buzar and T. Głowiak), 223
Molecular structures of $Fe_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ and $Fe_3Ru(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ (P. Mathur, Md.M. Hossain and R.S. Rashid), 245
Reactions of $\eta^2$-(2-acylaryl-C,O)tetracarbonylmanganese(I) complexes with some vinyl sulfur compounds (R.C. Cambie, P.S. Rutledge, D.R. Welch and P.D. Woodgate), 237
Réactivité d'halogénobenzène tricarbonylchrome vis-à-vis d'anions de sulfones (F. Rose-Munch, R. Khourzom, J.-P. Djukic, A. Perrotey, E. Rose and J. Brocard), 195

Carborane
Synthesis of the complexes $[N(PPh_3)_2][M(CO)_2(\eta^3\text{-}C_3H_5)(\eta^6\text{-}7,9\text{-}C_2B_{10}H_{10}Me_2)]$(M = Mo or W): crystal structure of $[N(PPh_3)_2][WBr(CO)_3(\eta^6\text{-}7,9\text{-}C_2B_{10}H_{10}Me_2)]$ (S. Li, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 95

Cerium
Syntheses and crystal structures of $(\eta^5\text{-}C_5H_5)_3Ln(THF)$ (Ln = Ce, Er) (W. Chen, G. Lin, J. Xia, G. Wei, Y. Zhang and Z. Jin), 75

Chloride
Reactions of ring-substituted titanocene dichlorides with thiocyanate ions: Synthesis of new S-bonded thiocyanato titanocene complexes, and crystal structure of $(^tBu\text{-}C_5H_4)_2Ti(NCS)_2$ (I. Jibril, S.T. Abu-Orabi, S.A. Klaib, L. Zsolnai and G. Huttner), 189

Chlorine
Inductive effects on bridging Ga–Cl distances: the molecular structure of the dichloro(methyl)gallium dimer, $[Me_2Cl_2Ga_2(\mu\text{-}Cl)_2]$, determined by gas electron diffraction (M.M. Akobiya, V.I. Bregadze, L.M. Golubinskaya, S. Gundersen, A. Haaland, H. Vidar Volden, V.S. Mastryukov and I.F. Shishkov), 161

Chlorocarbosilane
Synthese, Charakterisierung und Folgereaktionen von verzweigten Poly(phenylcarbosilanen) (W. Habel, B. Harnack, C. Nover and P. Sartori), 13
Chromium
Réactivité d'halogénobenzène tricarbonylchrome vis-à-vis d'anions de sulfones (F. Rose-Munch, R. Khourzom, J.-P. Djukic, A. Perrotey, E. Rose and J. Brocard), 195
Some transition metal complexes of $Ph_2P(CH_2)_nP(O)Ph_2$ ($n = 1$, 2) and $Ph_2P(CH_2)P(S)Ph_2$ (T.C. Blagborough, R. Davis and P. Ivison), 85
Synthesis and structural characterization of metallacarborane sandwich salts with tetrathiafulvalene (ttf) $[M(C_2B_9H_{11})_2][ttf]$ (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos, T.E. Müller, D.J. Williams and Y.-K. Yan), 207
Clathrate
Complexes of rhodium and iridium derived from 2,5-bis(pyrazol-1'-yl)-1,4-dihydroxybenzene (P. Cornago, C. Escolástico, M.D. Santa María, R.M. Claramunt, D. Carmona, M. Esteban, L.A. Oro, C. Foces-Foces, A.L. Llamas-Saiz and J. Elguero), 293
Cluster
Molecular structures of $Fe_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ and $Fe_3Ru(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ (P. Mathur, Md.M. Hossain and R.S. Rashid), 245
Cobalt
Organometallic thiazenes. Oxidative addition of $S_4N_4$ to low-valent metals; electrochemistry and $^{15}N$ NMR of $CpCoS_2N_2$ and $Cp^*CoS_2N_2$ (R.T. Boeré, B. Klassen and K.H. Moock), 127
Preparation and structural characterization of $\eta^5$-pentamethylcyclopentadienylcobalt(III) complexes of $\alpha$-amino acids with coordinating side chains (W.S. Sheldrick, E. Hauck and S. Korn), 283
Copper
Siloxane clusters of higher valence transition metals: redox properties (G. Gavioli, M. Borsari, C. Zucchi, G. Pályi, R. Psaro, R. Ugo, O.I. Shchegolikhina and A.A. Zhdanov), 165
Crystal structure
BN cleavage of the azoniaboratacyclopropane ring by $H_2O$ and by carbonyl and nitrile derivatives: crystal structure of $(CF_3)_2\text{-}\overline{B(OH)CH(SiMe_3)NHMe_2}$, $(CF_3)_2\overline{BCH(SiMe_3)NMe_2C\text{-}Me_2O}$ and $(MeC(O)NH)(CF_3)_2BCH(SiMe_3)NHMe_2$ (A. Ansorge, D.J. Brauer, H. Bürger, T. Hagen and G. Pawelke), 1
Complexes of rhodium and iridium derived from 2,5-bis(pyrazol-1'-yl)-1,4-dihydroxybenzene (P. Cornago, C. Escolástico, M.D. Santa María, R.M. Claramunt, D. Carmona, M. Esteban, L.A. Oro, C. Foces-Foces, A.L. Llamas-Saiz and J. Elguero), 293
Crystal and molecular structure of the tris(diphenylacetylene)-molybdenum(0) monocarbonyl $Mo(CO)(PhC{\equiv}CPh)_3$ (T. Szymańska-Buzar and T. Głowiak), 223
Five-coordinate triphenyltin(IV)-sulfur compounds. Crystal structures of the aminoethanethiol and 2-mercaptopyridine-*N*-oxide derivatives (B.D. James, R.J. Magee, W.C. Patalinghug, B.W. Skelton and A.H. White), 51
Polysulfonylamine. LII. Darstellung neuer Triorganozinn(IV)-disulfonylamide. Festkörperstrukturen von $Ph_3SnN(SO_2Me)_2$, $^cHex_3SnN(SO_2Me)_2$ und $Ph_3SnN(SO_2Me)_2 \cdot Ph_3SnOH \cdot 2MeCN$ (A. Blaschette, I. Lange, J. Krahl, D. Koch and P.G. Jones), 169
Preparation and structural characterization of $\eta^5$-pentamethylcyclopentadienylcobalt(III) complexes of $\alpha$-amino acids with coordinating side chains (W.S. Sheldrick, E. Hauck and S. Korn), 283
Reactions of ring-substituted titanocene dichlorides with thiocyanate ions: Synthesis of new S-bonded thiocyanato titanocene complexes, and crystal structure of $(^tBu\text{-}C_5H_4)_2Ti(NCS)_2$ (I. Jibril, S.T. Abu-Orabi, S.A. Klaib, L. Zsolnai and G. Huttner), 189
Substituted cyclopentadienyl compounds. III. NMR and molecular orbital study of conformational preferences in some substituted ($\eta^5$-cyclopentadienyl)-rhodium($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-methanoylcyclopentadienyl)-($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (M. Arthurs, J. Bickerton, G. Kubal, J. O'Sullivan, C. Piper, G. Hogarth and D.A. Morton-Blake), 135
Substituted cyclopentadienyl compounds. IV. NMR spectra of chloro-substituted ($\eta^5$-cyclopentadienyl)-rhodium-($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-chlorocyclopentadienyl)($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (G. Hogarth, M. Arthurs, J.C. Bickerton, L. Daly, C. Piper, D. Ralfe and D.A. Morton-Blake), 145
Synthesis of the complexes $[N(PPh_3)_2][M(CO)_2(\eta^3\text{-}C_3H_5)(\eta^6\text{-}7,9\text{-}C_2B_{10}H_{10}Me_2)]$(M = Mo or W): crystal structure of $[N(PPh_3)_2][WBr(CO)_3(\eta^6\text{-}7,9\text{-}C_2B_{10}H_{10}Me_2)]$ (S. Li, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 95
The synthesis and reactions of Mn and Re formyl complexes, *fac*-(P–P)$M(CO)_3CHO$. The X-ray structure of *fac*-(dppp)$Mn(CO)_3CH_2OCH_3$ (S.K. Mandal, J.A. Krause and M. Orchin), 113
Cyclopentadienyl
Preparation and structural characterization of $\eta^5$-pentamethylcyclopentadienylcobalt(III) complexes of $\alpha$-amino acids with coordinating side chains (W.S. Sheldrick, E. Hauck and S. Korn), 283
Substituted cyclopentadienyl compounds. III. NMR and molecular orbital study of conformational preferences in some substituted ($\eta^5$-cyclopentadienyl)-rhodium($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-methanoylcyclopentadienyl)-($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (M. Arthurs, J. Bickerton, G. Kubal, J. O'Sullivan, C. Piper, G. Hogarth and D.A. Morton-Blake), 135
Substituted cyclopentadienyl compounds. IV. NMR spectra of chloro-substituted ($\eta^5$-cyclopentadienyl)-rhodium-($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-chlorocyclopentadienyl)($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (G. Hogarth, M. Arthurs, J.C. Bickerton, L. Daly, C. Piper, D. Ralfe and D.A. Morton-Blake), 145
Digermadiene
New digermanes: an attempted synthesis of a digermadiene (M.A. Chaubon-Deredempt, J. Escudie and C. Couret), 37
Digermane
New digermanes: an attempted synthesis of a digermadiene (M.A. Chaubon-Deredempt, J. Escudie and C. Couret), 37
Electrochemistry
Organometallic thiazenes. Oxidative addition of $S_4N_4$ to low-valent metals; electrochemistry and $^{15}N$ NMR of $CpCoS_2N_2$ and $Cp^*CoS_2N_2$ (R.T. Boeré, B. Klassen and K.H. Moock), 127
Electron diffraction
Inductive effects on bridging Ga–Cl distances: the molecular structure of the dichloro(methyl)gallium dimer, $[Me_2Cl_2Ga_2(\mu\text{-}Cl)_2]$, determined by gas electron diffraction (M.M. Akobiya, V.I. Bregadze, L.M. Golubinskaya, S. Gundersen, A. Haaland, H. Vidar Volden, V.S. Mastryukov and I.F. Shishkov), 161

Erbium
Syntheses and crystal structures of $(\eta^5\text{-}C_5H_5)_3Ln(THF)$ (Ln = Ce, Er) (W. Chen, G. Lin, J. Xia, G. Wei, Y. Zhang and Z. Jin), 75
Extended Hückel calculations
Organometallic thiazenes. Oxidative addition of $S_4N_4$ to low-valent metals; electrochemistry and $^{15}N$ NMR of $CpCoS_2N_2$ and $Cp^*CoS_2N_2$ (R.T. Boeré, B. Klassen and K.H. Moock), 127
Substituted cyclopentadienyl compounds. IV. NMR spectra of chloro-substituted ($\eta^5$-cyclopentadienyl)-rhodium-($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-chlorocyclopentadienyl)($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (G. Hogarth, M. Arthurs, J.C. Bickerton, L. Daly, C. Piper, D. Ralfe and D.A. Morton-Blake), 145

Five-coordinate
Five-coordinate triphenyltin(IV)-sulfur compounds. Crystal structures of the aminoethanethiol and 2-mercaptopyridine-*N*-oxide derivatives (B.D. James, R.J. Magee, W.C. Patalinghug, B.W. Skelton and A.H. White), 51
Formyl
The synthesis and reactions of Mn and Re formyl complexes, *fac*-(P–P)$M(CO)_3CHO$. The X-ray structure of *fac*-(dppp)$Mn(CO)_3CH_2OCH_3$ (S.K. Mandal, J.A. Krause and M. Orchin), 113
Functional phosphines
Cluster chemistry. XC. Some complexes obtained from reactions between $M_3(CO)_{12}$ (M = Ru or Os) or $Ru_3(\mu\text{-dppm})(CO)_{10}$ and 2-substituted triphenylphosphines and related keto-phosphine ligands (C.J. Adams, M.I. Bruce, P.A. Duckworth, P.A. Humphrey, O. Kühl, E.R.T. Tiekink, W.R. Cullen, P. Braunstein, S. Coco Cea, B.W. Skelton and A.H. White), 251

Gallium
Inductive effects on bridging Ga–Cl distances: the molecular structure of the dichloro(methyl)gallium dimer, $[Me_2Cl_2Ga_2(\mu\text{-}Cl)_2]$, determined by gas electron diffraction (M.M. Akobiya, V.I. Bregadze, L.M. Golubinskaya, S. Gundersen, A. Haaland, H. Vidar Volden, V.S. Mastryukov and I.F. Shishkov), 161
Germanium
Synthesis and structure of organosilicon and organogermanium complexes of ytterbium $(Ph_3E)_2Yb(THF)_4$ with Yb–Si and Yb–Ge bonds (L.N. Bochkarev, V.M. Makarov, Y.N. Hrzhanovskaya, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), C3
Group 6
Reaktive Arsen-Heterocyclen. III. 3-Arsolene: Synthese und Reaktionen am Arsen (W.A. Schenk and E. Voß), 57
Reaktive Arsen-Heterocyclen. IV. Übergangsmetallkomplexe von 2,3,4,5-Tetramethylarsolen (W.A. Schenk and E. Voß), 67

Heterobimetallics
Heterodinuclear complexes of rhenium and molybdenum with bridging $S_2CPR_3$ ligands (E.M. López, D. Miguel, J.A. Pérez-Martínez and V. Riera), 231
Hydridocarbosilane
Synthese, Charakterisierung und Folgereaktionen von verzweigten Poly(phenylcarbosilanen) (W. Habel, B. Harnack, C. Nover and P. Sartori), 13
Hydrostannylation
Double stannylation d'un sulfure propargylique par l'hydrure de tributyletain en presence de thiol (M.-P. Lambert, M. Ratier, J.-G. Duboudin and M. Pétraud), 181

INEPT
Double stannylation d'un sulfure propargylique par l'hydrure de tributyletain en presence de thiol (M.-P. Lambert, M. Ratier, J.-G. Duboudin and M. Pétraud), 181
Infrared spectroscopy
Synthese, Schwingungsspektren und Normalkoordinatenanalyse von 1,2-Di-tert-butyltetrahalogendisilanen (B. Reiter and K. Hassler), 21
Iridium
Complexes of rhodium and iridium derived from 2,5-bis(pyrazol-1'-yl)-1,4-dihydroxybenzene (P. Cornago, C. Escolástico, M.D. Santa María, R.M. Claramunt, D. Carmona, M. Esteban, L.A. Oro, C. Foces-Foces, A.L. Llamas-Saiz and J. Elguero), 293
Pyrazolato-iridium(III) complexes (M.P. García, M.A. Esteruelas, M. Martín and L.A. Oro), 151
Iron
Molecular structures of $Fe_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ and $Fe_3Ru(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ (P. Mathur, Md.M. Hossain and R.S. Rashid), 245
Synthesis and structural characterization of metallacarborane sandwich salts with tetrathiafulvalene (ttf) $[M(C_2B_9H_{11})_2][ttf]$ (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos, T.E. Müller, D.J. Williams and Y.-K. Yan), 207
Isocyanide
Synthese und Koordinationschemie tripodaler, aromatischer Triisocyanide (F.E. Hahn and M. Tamm), 103

Magnetic
Synthesis and structural characterization of metallacarborane sandwich salts with tetrathiafulvalene (ttf) $[M(C_2B_9H_{11})_2][ttf]$ (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos, T.E. Müller, D.J. Williams and Y.-K. Yan), 207
Manganese
Reactions of $\eta^2$-(2-acylaryl-C,O)tetracarbonylmanganese(I) complexes with some vinyl sulfur compounds (R.C. Cambie, P.S. Rutledge, D.R. Welch and P.D. Woodgate), 237
Reaktive Arsen-Heterocyclen. IV. Übergangsmetallkomplexe von 2,3,4,5-Tetramethylarsolen (W.A. Schenk and E. Voß), 67
Siloxane clusters of higher valence transition metals: redox properties (G. Gavioli, M. Borsari, C. Zucchi, G. Pályi, R. Psaro, R. Ugo, O.I. Shchegolikhina and A.A. Zhdanov), 165
Some transition metal complexes of $Ph_2P(CH_2)_nP(O)Ph_2$ ($n$ = 1, 2) and $Ph_2P(CH_2)P(S)Ph_2$ (T.C. Blagborough, R. Davis and P. Ivison), 85
The synthesis and reactions of Mn and Re formyl complexes, *fac*-(P–P)$M(CO)_3CHO$. The X-ray structure of *fac*-(dppp)$Mn(CO)_3CH_2OCH_3$ (S.K. Mandal, J.A. Krause and M. Orchin), 113
Metallacarborane
Synthesis and structural characterization of metallacarborane sandwich salts with tetrathiafulvalene (ttf) $[M(C_2B_9H_{11})_2][ttf]$ (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos, T.E. Müller, D.J. Williams and Y.-K. Yan), 207
Metallocene
Reactions of ring-substituted titanocene dichlorides with thiocyanate ions: Synthesis of new S-bonded thiocyanato titanocene complexes, and crystal structure of $(^tBu\text{–}C_5H_4)_2Ti(NCS)_2$ (I. Jibril, S.T. Abu-Orabi, S.A. Klaib, L. Zsolnai and G. Huttner), 189
Molecular orbital calculations
Substituted cyclopentadienyl compounds. III. NMR and molecular orbital study of conformational preferences in some substituted ($\eta^5$-cyclopentadienyl)-rhodium($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-methanoylcyclopentadienyl)-

($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (M. Arthurs, J. Bickerton, G. Kubal, J. O'Sullivan, C. Piper, G. Hogarth and D.A. Morton-Blake), 135

Molybdenum

[CpMo($\mu$-Se)($\mu$-SePh)]$_2$: ein vierfach chalkogenato-verbrückter Dimolybdän-Komplex mit ungewöhnlicher Struktur (H. Rakoczy, M. Schollenberger, B. Nuber and M.L. Ziegler), 217

Crystal and molecular structure of the tris(diphenylacetylene)-molybdenum(0) monocarbonyl Mo(CO)(PhC≡CPh)$_3$ (T. Szymańska-Buzar and T. Głowiak), 223

Heterodinuclear complexes of rhenium and molybdenum with bridging $S_2CPR_3$ ligands (E.M. López, D. Miguel, J.A. Pérez-Martínez and V. Riera), 231

Some transition metal complexes of $Ph_2P(CH_2)_nP(O)Ph_2$ ($n$ = 1, 2) and $Ph_2P(CH_2)P(S)Ph_2$ (T.C. Blagborough, R. Davis and P. Ivison), 85

Synthesis of the complexes [N(PPh$_3$)$_2$][M(CO)$_2$($\eta^3$-C$_3$H$_5$)($\eta^6$-7,9-C$_2$B$_{10}$H$_{10}$Me$_2$)](M = Mo or W): crystal structure of [N(PPh$_3$)$_2$][WBr(CO)$_3$($\eta^6$-7,9-C$_2$B$_{10}$H$_{10}$Me$_2$)] (S. Li, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 95

Nickel

Siloxane clusters of higher valence transition metals: redox properties (G. Gavioli, M. Borsari, C. Zucchi, G. Pályi, R. Psaro, R. Ugo, O.I. Shchegolikhina and A.A. Zhdanov), 165

Synthesis and structural characterization of metallacarborane sandwich salts with tetrathiafulvalene (ttf) [M(C$_2$B$_9$H$_{11}$)$_2$][ttf] (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos, T.E. Müller, D.J. Williams and Y.-K. Yan), 207

Nuclear magnetic resonance

Complexes of rhodium and iridium derived from 2,5-bis(pyrazol-1′-yl)-1,4-dihydroxybenzene (P. Cornago, C. Escolástico, M.D. Santa María, R.M. Claramunt, D. Carmona, M. Esteban, L.A. Oro, C. Foces-Foces, A.L. Llamas-Saiz and J. Elguero), 293

Double stannylation d'un sulfure propargylique par l'hydrure de tributyletain en presence de thiol (M.-P. Lambert, M. Ratier, J.-G. Duboudin and M. Pétraud), 181

Substituted cyclopentadienyl compounds. III. NMR and molecular orbital study of conformational preferences in some substituted ($\eta^5$-cyclopentadienyl)-rhodium($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-methanoylcyclopentadienyl)-($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (M. Arthurs, J. Bickerton, G. Kubal, J. O'Sullivan, C. Piper, G. Hogarth and D.A. Morton-Blake), 135

Substituted cyclopentadienyl compounds. IV. NMR spectra of chloro-substituted ($\eta^5$-cyclopentadienyl)-rhodium-($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-chlorocyclopentadienyl)($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (G. Hogarth, M. Arthurs, J.C. Bickerton, L. Daly, C. Piper, D. Ralfe and D.A. Morton-Blake), 145

Osmium

Cluster chemistry. XC. Some complexes obtained from reactions between M$_3$(CO)$_{12}$ (M = Ru or Os) or Ru$_3$($\mu$-dppm)(CO)$_{10}$ and 2-substituted triphenylphosphines and related keto-phosphine ligands (C.J. Adams, M.I. Bruce, P.A. Duckworth, P.A. Humphrey, O. Kühl, E.R.T. Tiekink, W.R. Cullen, P. Braunstein, S. Coco Cea, B.W. Skelton and A.H. White), 251

Oxalate

$\mu$-Oxalatobis(tricyclohexyltin), a dinuclear tin compound with isomeric pentacoordinate tin sites (S.W. Ng, V.G.K. Das, S.-L. Li and T.C.W. Mak), 47

Oxidative addition

Organometallic thiazenes. Oxidative addition of $S_4N_4$ to low-valent metals; electrochemistry and $^{15}$N NMR of CpCoS$_2$N$_2$ and Cp*CoS$_2$N$_2$ (R.T. Boeré, B. Klassen and K.H. Moock), 127

Oxide

Dialkylamido derivatives of [($\eta^5$-C$_5$Me$_5$)TiCl$_3$], [{($\eta^5$-C$_5$Me$_5$)TiCl$_2$}$_2$($\mu$-O)] and [{($\eta^5$-C$_5$Me$_5$)TiCl}$_3$($\mu$-O)$_3$]: X-ray crystal structure of [($\eta^5$-C$_5$Me$_5$)Ti(NMe$_2$)$_3$] (A. Martín, M. Mena, C. Yélamos, R. Serrano and P.R. Raithby), 79

Palladium

Some transition metal complexes of $Ph_2P(CH_2)_nP(O)Ph_2$ ($n$ = 1, 2) and $Ph_2P(CH_2)P(S)Ph_2$ (T.C. Blagborough, R. Davis and P. Ivison), 85

Phenylcarbosilane

Synthese, Charakterisierung und Folgereaktionen von verzweigten Poly(phenylcarbosilanen) (W. Habel, B. Harnack, C. Nover and P. Sartori), 13

Phosphine

Some transition metal complexes of $Ph_2P(CH_2)_nP(O)Ph_2$ ($n$ = 1, 2) and $Ph_2P(CH_2)P(S)Ph_2$ (T.C. Blagborough, R. Davis and P. Ivison), 85

Phosphorus

Reaktive Arsen-Heterocyclen. III. 3-Arsolene: Synthese und Reaktionen am Arsen (W.A. Schenk and E. Voß), 57

Reaktive Arsen-Heterocyclen. IV. Übergangsmetallkomplexe von 2,3,4,5-Tetramethylarsolen (W.A. Schenk and E. Voß), 67

Platinum

Some transition metal complexes of $Ph_2P(CH_2)_nP(O)Ph_2$ ($n$ = 1, 2) and $Ph_2P(CH_2)P(S)Ph_2$ (T.C. Blagborough, R. Davis and P. Ivison), 85

Polymer

Synthese, Charakterisierung und Folgereaktionen von verzweigten Poly(phenylcarbosilanen) (W. Habel, B. Harnack, C. Nover and P. Sartori), 13

Precursor

Synthese, Charakterisierung und Folgereaktionen von verzweigten Poly(phenylcarbosilanen) (W. Habel, B. Harnack, C. Nover and P. Sartori), 13

Propargyl sulfides

Double stannylation d'un sulfure propargylique par l'hydrure de tributyletain en presence de thiol (M.-P. Lambert, M. Ratier, J.-G. Duboudin and M. Pétraud), 181

Pyrazolate

Pyrazolato-iridium(III) complexes (M.P. García, M.A. Esteruelas, M. Martín and L.A. Oro), 151

Pyrazolyl

Complexes of rhodium and iridium derived from 2,5-bis(pyrazol-1′-yl)-1,4-dihydroxybenzene (P. Cornago, C. Escolástico, M.D. Santa María, R.M. Claramunt, D. Carmona, M. Esteban, L.A. Oro, C. Foces-Foces, A.L. Llamas-Saiz and J. Elguero), 293

Raman spectroscopy

Synthese, Schwingungsspektren und Normalkoordinatenanalyse von 1,2-Di-tert-butyltetrahalogendisilanen (B. Reiter and K. Hassler), 21

Rhenium

Heterodinuclear complexes of rhenium and molybdenum with bridging $S_2CPR_3$ ligands (E.M. López, D. Miguel, J.A. Pérez-Martínez and V. Riera), 231

Homonuclear dirhenium complex bridged by $CO_2$: molecular structure of a rhenium dimer bridged by $CO_2$ and a rhenium chloride complex (Y.-L. Yang, J.-D. Chen, Y.-C. Lin, M.-C. Cheng and Y. Wang), C6

The synthesis and reactions of Mn and Re formyl complexes, *fac*-(P–P)M(CO)$_3$CHO. The X-ray structure of *fac*-

(dppp)Mn(CO)$_3$CH$_2$OCH$_3$ (S.K. Mandal, J.A. Krause and M. Orchin), 113

Rhodium

Complexes of rhodium and iridium derived from 2,5-bis(pyrazol-1'-yl)-1,4-dihydroxybenzene (P. Cornago, C. Escolástico, M.D. Santa María, R.M. Claramunt, D. Carmona, M. Esteban, L.A. Oro, C. Foces-Foces, A.L. Llamas-Saiz and J. Elguero), 293

Pyrazolato-iridium(III) complexes (M.P. García, M.A. Esteruelas, M. Martín and L.A. Oro), 151

Some transition metal complexes of Ph$_2$P(CH$_2$)$_n$P(O)Ph$_2$ ($n$ = 1, 2) and Ph$_2$P(CH$_2$)P(S)Ph$_2$ (T.C. Blagborough, R. Davis and P. Ivison), 85

Substituted cyclopentadienyl compounds. III. NMR and molecular orbital study of conformational preferences in some substituted ($\eta^5$-cyclopentadienyl)-rhodium($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-methanoylcyclopentadienyl)-($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (M. Arthurs, J. Bickerton, G. Kubal, J. O'Sullivan, C. Piper, G. Hogarth and D.A. Morton-Blake), 135

Substituted cyclopentadienyl compounds. IV. NMR spectra of chloro-substituted ($\eta^5$-cyclopentadienyl)-rhodium-($\eta^4$-diene) compounds and the crystal structure of ($\eta^5$-chlorocyclopentadienyl)($\eta^4$-2,3-dimethoxybutadiene)rhodium(I) (G. Hogarth, M. Arthurs, J.C. Bickerton, L. Daly, C. Piper, D. Ralfe and D.A. Morton-Blake), 145

Ruthenium

Cluster chemistry. XC. Some complexes obtained from reactions between M$_3$(CO)$_{12}$ (M = Ru or Os) or Ru$_3$($\mu$-dppm)(CO)$_{10}$ and 2-substituted triphenylphosphines and related keto-phosphine ligands (C.J. Adams, M.I. Bruce, P.A. Duckworth, P.A. Humphrey, O. Kühl, E.R.T. Tiekink, W.R. Cullen, P. Braunstein, S. Coco Cea, B.W. Skelton and A.H. White), 251

Molecular structures of Fe$_4$(CO)$_{10}$($\mu$-CO)($\mu_4$-Se)$_2$ and Fe$_3$Ru(CO)$_{10}$($\mu$-CO)($\mu_4$-Se)$_2$ (P. Mathur, Md.M. Hossain and R.S. Rashid), 245

Reactivity of [{($\eta^6$-arene)RuCl($\mu$-Cl)}$_2$] towards some potentially bidentate ligands. Molecular structure of [($\eta^6$-$p$-cymene)RuCl(taz)]PF$_6$ ($p$-cymene = $p$-MeC$_6$H$_4$CH-Me$_2$; taz = 2,6-dimethyl-5-oxo-3-thioxo-2,3,4,5-tetrahydro-1,2,4-triazine) (G. García, I. Solano, G. Sánchez, M.D. Santana, G. López, J. Casabó, E. Molins and C. Miravitlles), 119

Reaktive Arsen-Heterocyclen. III. 3-Arsolene: Synthese und Reaktionen am Arsen (W.A. Schenk and E. Voß), 57

Reaktive Arsen-Heterocyclen. IV. Übergangsmetallkomplexe von 2,3,4,5-Tetramethylarsolen (W.A. Schenk and E. Voß), 67

Selenium

[CpMo($\mu$-Se)($\mu$-SePh)]$_2$: ein vierfach chalkogenato-verbrückter Dimolybdän-Komplex mit ungewöhnlicher Struktur (H. Rakoczy, M. Schollenberger, B. Nuber and M.L. Ziegler), 217

Molecular structures of Fe$_4$(CO)$_{10}$($\mu$-CO)($\mu_4$-Se)$_2$ and Fe$_3$Ru(CO)$_{10}$($\mu$-CO)($\mu_4$-Se)$_2$ (P. Mathur, Md.M. Hossain and R.S. Rashid), 245

Silane

Synthese, Schwingungsspektren und Normalkoordinatenanalyse von 1,2-Di-tert-butyltetrahalogendisilanen (B. Reiter and K. Hassler), 21

Silicon

Synthesis and structure of organosilicon and organogermanium complexes of ytterbium (Ph$_3$E)$_2$Yb(THF)$_4$ with Yb–Si and Yb–Ge bonds (L.N. Bochkarev, V.M. Makarov, Y.N. Hrzhanovskaya, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), C3

Siloxane

Siloxane clusters of higher valence transition metals: redox properties (G. Gavioli, M. Borsari, C. Zucchi, G. Pályi, R. Psaro, R. Ugo, O.I. Shchegolikhina and A.A. Zhdanov), 165

Silyl

Zur Synthese und Reaktivität aminofunktioneller Silyltriflate (W. Uhlig and C. Tretner), 31

Small ring

BN cleavage of the azoniaboratacyclopropane ring by H$_2$O and by carbonyl and nitrile derivatives: crystal structure of (CF$_3$)$_2$B(OH)CH(SiMe$_3$)NHMe$_2$, (CF$_3$)$_2$BCH(SiMe$_3$)NMe$_2$CMe$_2$O and (MeC(O)NH)(CF$_3$)$_2$BCH(SiMe$_3$)NHMe$_2$ (A. Ansorge, D.J. Brauer, H. Bürger, T. Hagen and G. Pawelke), 1

Sodium

Siloxane clusters of higher valence transition metals: redox properties (G. Gavioli, M. Borsari, C. Zucchi, G. Pályi, R. Psaro, R. Ugo, O.I. Shchegolikhina and A.A. Zhdanov), 165

Sulfonyl

Polysulfonylamine. LII. Darstellung neuer Triorganozinn(IV)-disulfonylamide. Festkörperstrukturen von Ph$_3$SnN(SO$_2$Me)$_2$, $^c$Hex$_3$SnN(SO$_2$Me)$_2$ und Ph$_3$SnN(SO$_2$Me)$_2$ · Ph$_3$SnOH · 2MeCN (A. Blaschette, I. Lange, J. Krahl, D. Koch and P.G. Jones), 169

Réactivité d'halogénobenzène tricarbonylchrome vis-à-vis d'anions de sulfones (F. Rose-Munch, R. Khourzom, J.-P. Djukic, A. Perrotey, E. Rose and J. Brocard), 195

Sulfur

Five-coordinate triphenyltin(IV)-sulfur compounds. Crystal structures of the aminoethanethiol and 2-mercaptopyridine-*N*-oxide derivatives (B.D. James, R.J. Magee, W.C. Patalinghug, B.W. Skelton and A.H. White), 51

Reactions of $\eta^2$-(2-acylaryl-C,O)tetracarbonylmanganese(I) complexes with some vinyl sulfur compounds (R.C. Cambie, P.S. Rutledge, D.R. Welch and P.D. Woodgate), 237

Tetrathiafulvalene

Synthesis and structural characterization of metallacarborane sandwich salts with tetrathiafulvalene (ttf) [M(C$_2$B$_9$H$_{11}$)$_2$][ttf] (M = Cr, Fe, Ni) (J.M. Forward, D.M.P. Mingos, T.E. Müller, D.J. Williams and Y.-K. Yan), 207

Thiazene

Organometallic thiazenes. Oxidative addition of S$_4$N$_4$ to low-valent metals; electrochemistry and $^{15}$N NMR of CpCoS$_2$N$_2$ and Cp*CoS$_2$N$_2$ (R.T. Boeré, B. Klassen and K.H. Moock), 127

Thiocyanate

Reactions of ring-substituted titanocene dichlorides with thiocyanate ions: Synthesis of new S-bonded thiocyanato titanocene complexes, and crystal structure of ($^t$Bu–C$_5$H$_4$)$_2$Ti(NCS)$_2$ (I. Jibril, S.T. Abu-Orabi, S.A. Klaib, L. Zsolnai and G. Huttner), 189

Tin

Five-coordinate triphenyltin(IV)-sulfur compounds. Crystal structures of the aminoethanethiol and 2-mercaptopyridine-*N*-oxide derivatives (B.D. James, R.J. Magee, W.C. Patalinghug, B.W. Skelton and A.H. White), 51

$\mu$-Oxalatobis(tricyclohexyltin), a dinuclear tin compound with isomeric pentacoordinate tin sites (S.W. Ng, V.G.K. Das, S.-L. Li and T.C.W. Mak), 47

Polysulfonylamine. LII. Darstellung neuer Triorganozinn(IV)-disulfonylamide. Festkörperstrukturen von Ph$_3$SnN(SO$_2$Me)$_2$, $^c$Hex$_3$SnN(SO$_2$Me)$_2$ und Ph$_3$SnN(SO$_2$Me)$_2$ · Ph$_3$SnOH · 2MeCN (A. Blaschette, I. Lange, J. Krahl, D. Koch and P.G. Jones), 169

Titanium
Dialkylamido derivatives of $[(\eta^5\text{-}C_5Me_5)TiCl_3]$, $[\{(\eta^5\text{-}C_5Me_5)TiCl_2\}_2(\mu\text{-}O)]$ and $[\{(\eta^5\text{-}C_5Me_5)TiCl\}_3(\mu\text{-}O)_3]$: X-ray crystal structure of $[(\eta^5\text{-}C_5Me_5)Ti(NMe_2)_3]$ (A. Martín, M. Mena, C. Yélamos, R. Serrano and P.R. Raithby), 79
Reactions of ring-substituted titanocene dichlorides with thiocyanate ions: Synthesis of new S-bonded thiocyanato titanocene complexes, and crystal structure of $(^tBu\text{–}C_5H_4)_2Ti(NCS)_2$ (I. Jibril, S.T. Abu-Orabi, S.A. Klaib, L. Zsolnai and G. Huttner), 189
Triflate
Zur Synthese und Reaktivität aminofunktioneller Silyltriflate (W. Uhlig and C. Tretner), 31
Trifluoromethyl
BN cleavage of the azoniaboratacyclopropane ring by $H_2O$ and by carbonyl and nitrile derivatives: crystal structure of $(CF_3)_2B(OH)CH(SiMe_3)NHMe_2$, $(CF_3)_2BCH(SiMe_3)NMe_2CMe_2O$ and $(MeC(O)NH)(CF_3)_2BCH(SiMe_3)NHMe_2$ (A. Ansorge, D.J. Brauer, H. Bürger, T. Hagen and G. Pawelke), 1
Tungsten
Synthese und Koordinationschemie tripodaler, aromatischer Triisocyanide (F.E. Hahn and M. Tamm), 103
Synthesis of the complexes $[N(PPh_3)_2][M(CO)_2(\eta^3\text{-}C_3H_5)(\eta^6\text{-}7,9\text{-}C_2B_{10}H_{10}Me_2)]$(M = Mo or W): crystal structure of $[N(PPh_3)_2][WBr(CO)_3(\eta^6\text{-}7,9\text{-}C_2B_{10}H_{10}Me_2)]$ (S. Li, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 95

Vinyl
Reactions of $\eta^2$-(2-acylaryl-C,O)tetracarbonylmanganese(I) complexes with some vinyl sulfur compounds (R.C. Cambie, P.S. Rutledge, D.R. Welch and P.D. Woodgate), 237

X-ray diffraction
Homonuclear dirhenium complex bridged by $CO_2$: molecular structure of a rhenium dimer bridged by $CO_2$ and a rhenium chloride complex (Y.-L. Yang, J.-D. Chen, Y.-C. Lin, M.-C. Cheng and Y. Wang), C6
Synthese und Koordinationschemie tripodaler, aromatischer Triisocyanide (F.E. Hahn and M. Tamm), 103

Ytterbium
Synthesis and structure of organosilicon and organogermanium complexes of ytterbium $(Ph_3E)_2Yb(THF)_4$ with Yb–Si and Yb–Ge bonds (L.N. Bochkarev, V.M. Makarov, Y.N. Hrzhanovskaya, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), C3

Zirconocene
Reaktive Arsen-Heterocyclen. III. 3-Arsolene: Synthese und Reaktionen am Arsen (W.A. Schenk and E. Voß), 57
Reaktive Arsen-Heterocyclen. IV. Übergangsmetallkomplexe von 2,3,4,5-Tetramethylarsolen (W.A. Schenk and E. Voß), 67

Book Reviews
*Iron-Carbene Complexes Scripts in Inorganic and Organometallic chemistry 1* Gmelin-Institut, Springer-Verlag, 1993, 202 pages. DM 68 ISBN 3-540-56258-3 (M.F. Lappert)), C9
*Metals ions in Biological Systems, Volume 29, Biological Properties of Metal Alkyls*, H. Sigel and A. Sigel (Eds.) (G.J. Leigh)), C1